

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 1 of 8

Point No.: <u>5001</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>500F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC DATE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>5002</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>501 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC FILE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input checked="" type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>6001</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>601 BR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC FILE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>6002</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>600 BR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC FILE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input checked="" type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes: STANLEY E SEARS
Stanley E. Sears
2087-S

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No: 2 of 8

Point No: <u>7001</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>701 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC FILE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: _____ <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input checked="" type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

<input type="checkbox"/> Established Position Set an alum 60D Nail, flush with the ground Lath 36' long, 12 ins. in the ground with flagging along side.	<input type="checkbox"/> Obtained Photos Took representative photos looking North and South
---	--

Point No: <u>7002</u>	FS HI #1: <u>6.0</u>	Date: <u>6/17/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>700 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>168</u> REC FILE <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input checked="" type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

<input checked="" type="checkbox"/> Established Position Set an alum 60D Nail, flush with the ground Lath 36' long, 12 ins. in the ground with flagging along side.	<input checked="" type="checkbox"/> Obtained Photos Took representative photos looking North and South
--	---

Point No: <u>6003</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>602 BR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input checked="" type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

<input checked="" type="checkbox"/> Established Position Set an alum 60D Nail, flush with the ground Lath 36' long, 12 ins. in the ground with flagging along side.	<input checked="" type="checkbox"/> Obtained Photos Took representative photos looking North and South
--	---

Point No: <u>6004</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>603 RR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>50</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

<input checked="" type="checkbox"/> Established Position Set an alum 60D Nail, flush with the ground Lath 36' long, 12 ins. in the ground with flagging along side.	<input checked="" type="checkbox"/> Obtained Photos Took representative photos looking North and South
--	---

Notes: _____

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 3 of 8

Point No.: <u>5003</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>502 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>53</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>5004</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>503 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>54</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>7003</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>702 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>53</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>7004</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>703 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>53</u> <input type="checkbox"/> Snow	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes:

STANLEY E SEARS
Stanley E. Sears
2087-S

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 4 of 8

Point No.: <u>6005</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>605 BR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> REC FILE <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>6006</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>604 BR</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> REC FILE <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST <u>SHRUB</u> BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>5005</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>505 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> REC FILE <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>5006</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>504 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> REC FILE <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes:

STANLEY E. SEARS
Stanley E. Sears
2027-5

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 5 of 8

Point No.: <u>7005</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>704 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> <u>170</u>	<u>REC FILE</u> <u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>7006</u>	FS HI #1: <u>6.0</u>	Date: <u>6/18/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>705 B</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>169</u> <u>170</u>	<u>REC FILE</u> <u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB <u>BARREN</u>		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: <u>53</u>	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.:	FS HI #1:	Date:	Crew:
GPS Designation:	FS HI #2:	Julian Date:	
LAND COVER TYPE: FOREST SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: _____	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.:	FS HI #1:	Date:	Crew:
GPS Designation:	FS HI #2:	Julian Date:	
LAND COVER TYPE: FOREST SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog <input type="checkbox"/> Snow Temp: _____	Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes: _____
 _____ STANLEY E SEARS
 _____ Stanley E. Sears
 _____ 2087-5

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 6 of 8

Point No.: <u>5007</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>507 F</u>	FS HI #2: <u>5.0</u>	Julian Date: <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>50</u>
		Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position

Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos

Took representative photos
looking North and South

Point No.: <u>5008</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>506 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>50</u>
		Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position

Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos

Took representative photos
looking North and South

Point No.: <u>5009</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>508 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>50</u>
		Trimble Receiver No.: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position

Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos

Took representative photos
looking North and South

Point No.: <u>50010</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>509 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>50</u>
		Trimble Receiver No.: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position

Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos

Took representative photos
looking North and South

Notes:

STANLEY E SEARS
Stanley E. Sears
2087-S

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No.: 7 of 8

Point No.: <u>50011</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>511 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>50</u>
		Trimble Receiver No: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>50012</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>510 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u> REC <u>171</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>52</u>
		Trimble Receiver No: <input checked="" type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>50013</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>512 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u> REC <u>171</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>53</u>
		Trimble Receiver No: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No.: <u>50014</u>	FS HI #1: <u>6.0</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>513 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>170</u> REC <u>171</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Fog <input type="checkbox"/> Snow	<input type="checkbox"/> Overcast <input type="checkbox"/> Rain Temp: <u>53</u>
		Trimble Receiver No: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440	

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36" long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes: STANLEY SEARS
Stanley E. Sears
2087-S

MAT-SU BOROUGH
LIDAR IMAGERY PROJECT CHECK POINT SURVEY # 11-103

Sheet No: 8 of 8

Point No: <u>50015</u>	FS HI #1: <u>60</u>	Date: <u>6/19/11</u>	Crew: <u>STAN SEARS</u>
GPS Designation: <u>515 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>REC 170 171</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input checked="" type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>52</u> <input type="checkbox"/> Snow	Trimble Receiver No: <input checked="" type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No: <u>50016</u>	FS HI #1: <u>60</u>	Date: <u>6/19/11</u>	Crew: <u>S SEARS</u>
GPS Designation: <u>514 F</u>	FS HI #2: <u>5.5</u>	Julian Date: <u>REC 170 171</u>	<u>TOM MOORE</u>
LAND COVER TYPE: <u>FOREST</u> SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input checked="" type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: <u>52°F</u> <input type="checkbox"/> Snow	Trimble Receiver No: <input type="checkbox"/> R6-7913 <input checked="" type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No:	FS HI #1:	Date:	Crew:
GPS Designation:	FS HI #2:	Julian Date:	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: _____ <input type="checkbox"/> Snow	Trimble Receiver No: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Point No:	FS HI #1:	Date:	Crew:
GPS Designation:	FS HI #2:	Julian Date:	<u>TOM MOORE</u>
LAND COVER TYPE: FOREST SHRUB BARREN		Weather: <input type="checkbox"/> Sunny <input type="checkbox"/> Overcast <input type="checkbox"/> Partly Cloudy <input type="checkbox"/> Rain <input type="checkbox"/> Fog Temp: _____ <input type="checkbox"/> Snow	Trimble Receiver No: <input type="checkbox"/> R6-7913 <input type="checkbox"/> R8-0714 <input type="checkbox"/> R6-7931 <input type="checkbox"/> R8-2440

Established Position
Set an alum 60D Nail, flush with the ground
Lath 36' long, 12 ins. in the ground with flagging along side.

Obtained Photos
Took representative photos
looking North and South

Notes: _____

